

KATALOG SISTEMA OZVUČENJA



Šifra	Slika	Opis	VPC	MPC
oz020102		Tuner AM-FM, model T-6222 , LCD displej, touch tasteri, 1U rack mount, napajanje 220V	128	153,60
oy030025		Mikser pojačalo OBT-6060B Digitalno petraživanje stanica. Posедуje USB, SD-card, FM radio. 4x ulaza, 2x MIC, 2x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16OHM. Snage 60W.	135,00	162,00
oz030002		Mikser pojačalo OBT-6090 Digitalno petraživanje stanica. Posедуje USB, SD-card. 7x ulaza, 3x MIC, 2x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16OHM. Snage 90W.	161,25	193,50
oz030003		Mikser pojačalo OBT-6150 Digitalno petraživanje stanica. Posедуje USB, SD-card. 4 audio ulaza, 3x MIC, 1x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16OHM. Snage 150W.	186,25	223,50
oz030004		5-zonsko mikser pojačalo OBT-6095 Digitalno petraživanje stanica. Posедуje USB, SD-card, 3x ulaza, 1x MIC, 1x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16OHM. Snage 90W.	191,25	229,50
OZ030026		4-zonsko mikser pojačalo OBT-6154 Poseduje USB, SD-card, MP3, 4 audio ulaza, 3x MIC, 1x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16ohm Snaga 150W.	241,00	289,20
oz030006		5-zonsko mikser pojačalo OBT-6255 Digitalno petraživanje stanica. Posедуje USB, SD-card, FM radio. 3x ulaza, 1x MIC, 1x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16OHM. Snage 250W.	256,25	307,50
oz030007		5-zonsko mikser pojačalo OBT-6355 Digitalno petraživanje stanica. Posедуje USB, SD-card, FM radio. 3x ulaza, 1x MIC, 1x AUX. Zaštita od pregrevanja preopterećenja i kratkog spoja. Izlaz: 100V, 70V, 4-16OHM. Snage 350W.	317,50	381,00

oz030015		DVD/MP3 PLAYER OBT-8610 USB ulaz, LCD displej, "touch-screen" kontrola, podrška CD/VCD/MP3 formate.	113,13	135,76	
oz030022		RECORDER/PLAYER glasovnih obaveštenja OBT-8030 2U 19", 2x alarmnih ulaza, 3 tipa alarmnih audio poruka, snimanje i reprodukcija zvuka do 10 minuta.	110,00	132,00	
oz0300016	 38,75 46,50	Mikrofon sa prstenom OBT-8052A Frekventni odziv: 60-16KHz. Izlazna impedansa: 200Ω. Daljina primanja signala: 20-50cm.	oz030009	8,00 9,60	
oz030010	 10,25 12,30	Plafonski zvučnik OBT-810 ulaz: 70V/100V, maksimalna snaga: 5/10W, frekventni odziv: 100-15KHz, dimenzije(mm): 200×67	oz030011	8,88 10,66	
oz030019	 17,50 21,00	Plafonski zvučnik OBT-818 ulaz: 70V/100V, maksimalna snaga: 8/15W, frekventni odziv: 100-15KHz, dimenzije (mm): 245×67	oz030012	16,25 19,50	
oz030013	 18,75 22,50	Plafonski zvučnik OBT-816T , ulaz: 70V/100V, maksimalna snaga: 5/10W plus visokotonac, frekventni odziv: 100-15KHz, dimenzije(mm): 200×67	oz030018	13,13 15,76	
oz030014	 12,50 15,00	Kontrola pojačanja OBT-1060 , snaga: 60W, pet nivoa jačine, materijal ABS, bele boje	oz030017	28,00 33,60	
oz030008	 63,75 76,50	Spoljni kolumnni zvučnik OBT-904 , ulaz: 70/100V, maksimalna snaga: 40W, frekventni odziv: 150-15KHz, dimenzije(mm): 613×152×100	oz030021	31,00 37,20	
			 Nazidni zvučnik OBT-466A, ulaz: 100V, maksimalna snaga: 20W, frekventni odziv: 80-16KHz, dimenzije(mm): 215×170×150	oz030020	14,38 17,26
			 Nazidni zvučnik OBT-428 , ulaz: 70/100V, maksimalna snaga: 10W, frekventni odziv: 150-15KHz, dimenzije(mm): 275×185×120		