

KATALOG KONTROLE PRISTUPA I EVIDENCIJE RADNOG VREMENA









Kontrola Pristupa i Evidencija Radnog Vremena

RFID kontrolni paneli		Cena(EUR)	
	<p>C3-200 KP010004 RFID panel za kontrolu pristupa Podržava do 3.000 kartica, 100.000 događaja, Komunikacija: RS485, TCP/IP Funkcije: Nadgledanje i kontrola statusa u realnom vremenu, Jednostavno konfigurisanje sistema, INTERLOCK funkcija, Podržava različite Wiegand čitače, Višestruka hardverska mera zaštite, Ulazno/Izlazni portovi za kontrolu vrata (može se povezati na različite senzore, alarme, tastere za izlaz, električne brave i druge uređaje) i to 12 ulaznih i 4+4 izlazna porta, Integracija sa drugim sigurnosnim sistemima, Anti-Passback, Prinudni mod, SDK dostupan, Backup podataka preko SD kartice. Access software za kontrolni panel. Dolazi u kompletu sa metalnom kutijom i napajanjem Napajanje : DC 9.6V-14.4V</p>		218,00 261,60
Kontrola radnog vremena otiskom prsta		Cena(EUR)	
	<p>iClock-680 KP010011 Biometrijski/ RF čitač za kontrolu radnog vremena i kontrolu pristupa sa 3.5" TFT displejem Podržava do 3.000 korisnika i 8.000 otisaka, 200.000 događaja, kamera 1.3Mpix Komunikacija: TCP/IP, USB, Wiegand I/O Funkcije: SMS, USB, snimak prijave, automatska promena statusa, anti-pass back zaštita od zloupotrebe, kompletno upravljanje događajima, električna brava, senzor vrata, taster za izlaz, alarm, zvana na vratima. Napajanje: 12V, 1.5A</p>		390,00 468,00
Profesionalni čitači za kontrolu pristupa		Cena(EUR)	
	<p>FR1200/BS1200 KP010042 Biometrijski/RF čitač za kontrolu pristupa Može da se koristi samo kao pomoćni čitač i nije standalone Komunikacija: RS485. IP65 zaštita (spoljašnja upotreba).</p>		128,00 153,60
RFID čitači kontrole pristupa i kontrole radnog vremena		Cena(EUR)	
	<p>S-880 KP010058 RFID čitač kontrole pristupa i kontrole radnog vremena sa 3.5" TFT displejem Podržava do 30.000 korisnika, 200.000 događaja, kamera 1.3Mpix (pravljenje slika vlasnika kartica), pravljenje slika prilikom provlačenja kartice Komunikacija: RS232, RS485, TCP/IP, USB, Wiegand 26 I/O Funkcije: LI ION baterija, SMS, podesivo zvono, web server, anti-pass back zaštita od zloupotrebe, može se koristiti kao taster za zvono. Napajanje 12 V</p>		290,94 349,13
	<p>SC103 KP010023 RFID čitač kontrole pristupa Podržava do 30.000 korisnika, 50.000 događaja, Komunikacija: RS232, RS485, TCP/IP Funkcije: ID kartica, U-DISK, Wiegand in/out, anti-pass back zaštita od zloupotrebe.</p>		148,75 178,50
	<p>SCR100 KP010025 RFID čitač Podržava do 30.000 korisnika, 50.000 događaja, web server Komunikacija: RS232, RS485, TCP/IP Funkcije: ID kartica, Wiegand out Napajanje 12 V.</p>		128,75 154,50

Skeneri			Cena(EUR)	
	ZK-4500 USB fingerprint skener za brzo skladištenje otisaka prstiju. Otvoren SDK za dalji razvoj.	KP010026 	68,85	82,62
	CR10E USB čitač kartica za brzo i jednostavno skladištenje kartica.	KP010061 	33,75	40,50
Wiegand ID/RF I biometrijski čitači			Cena(EUR)	
	KR 101E KP010069 Čitač proksimiti kartica 125KHz Domet 10cm, LED indikator, podržava 26/34 bitni wiegand, IP65 zaštita, zaštita od obrnutog polariteta. Koristi se kao pomoćni čitač uz bilo koji standalone.		22	26,40
	KR 610E KP010070 Čitač proksimiti kartica 125KHz Domet 10cm, LED indikator, podržava 26/34 bitni wiegand, IP65 zaštita, zaštita od obrnutog polariteta. Koristi se kao pomoćni čitač uz bilo koji standalone.		25	30,00
	KR100E KP010028 Čitač proksimiti kartica 125KHz Domet 10cm, LED indikator, podržava 26/34 bitni wiegand, IP65 zaštita, zaštita od obrnutog polariteta. Koristi se kao pomoćni čitač uz bilo koji standalone.		18,75	22,50
Softveri			Cena(EUR)	
	ERV 50 Softver za evidenciju radnog vremena - licenca za jedan ERVserver, ERVkljijent i terminal - do 50 korisnika, multijezička podrška, prevodilac, osnovni jezici: srpski, engleski - izrada izveštaja i export u excell, word, pdf.. - MySQL baza podataka, kljijent-server arhitektura		185,00	222,00
	ERV100 Softver za evidenciju radnog vremena - licenca za jedan ERVserver, ERVkljijent i terminal - do 100 korisnika, multijezička podrška, prevodilac, osnovni jezici: srpski, engleski - izrada izveštaja i export u excell, word, pdf.. - MySQL baza podataka, kljijent-server arhitektura		250,00	300,00
	ERV200 Softver za evidenciju radnog vremena - licenca za jedan ERVserver i ERVkljijent (200 korisnika)		400,00	480,00
	ERV300 Softver za evidenciju radnog vremena - licenca za jedan ERVserver i ERVkljijent (300 korisnika)		400,00	480,00
	ERV350 Softver za evidenciju radnog vremena - licenca za jedan ERVserver i ERVkljijent (350 korisnika)		500,00	600,00
	ERVxxx Softver za evidenciju radnog vremena - licenca za jedan ERVserver i ERVkljijent (preko 350 korisnika) uz gratis modul za posetioce i video nadzor		na upit	
	ERVkljijent Softver za evidenciju radnog vremena - cena za dodatnu licencu za jedan ERVkljijent		50,00	60,00
	ERVterminal Softver za evidenciju radnog vremena - cena za dodatnu licencu za jedan terminal		50,00	60,00

	ERVMajor Softver za evidenciju radnog vremena - ažuriranje softvera na novu verziju (major verzija)		46,50	55,80
	ERVReport Softver za evidenciju radnog vremena - usluga kreiranja izveštaja po narudžbi kupca - okvirna cena, cena zavisi od komplikovanosti zahteva		50,00	60,00
	Vmodul Dodatni modul za video nadzor - video nadzor preko IP kamere - sprečava zloupotrebu sistema čekiranja - snapshot		100,00	120,00
	Pmodul Dodatni modul za evidenciju posetilaca - čekiranje posetilaca i izrada izveštaja		50,00	60,00
ID kartice, tagovi			Cena(EUR)	
	ID Kartica KP010032 RF IDKartica, 125Khz		0,50	0,60
	ID tag KP010033 Privezak, 125Khz		0,40	0,48
	Držać električne brave sa klinom (za staklena I druga vrata) za vrata debljine 8-12mm težina 0.32kg		12,08	14,50
	EB 100 LED Brava sa klinom I LED indikacijom		35,20	42,24
	GM-ELS70S Mini magnetna brava Holding Force: 70kgs(150Lbs),Working Voltage: 12VDC,Working Current: 150mA(12VDC) For Single Door Use,Surface Mounted,Door will open when power is off(NO COM),Suitable for wooden door, glass door, metal door or fireproof door,Coil Material: Pure Cooper, large current, few residual magnet, low temperature, large force, long life, Size (L x W x H): 80 x 41 x 25mm		20,30	24,36
	AR-0300/150kg Elektromagnetna brava, maksimalno opterećenje 150kg, 12V DC		60,00	72,00
	GM-ELS180S Elektromagnetna brava Power-on za zaključavanje (brava je zaključana kada ima napona), nema mehaničkih oštećenja, pogodan za vrata bez okvira, 12V/24V DC, 380mA/190mA, deklarirani holding force 150 kg težina 1.07kg		39,59	47,51
	GM-ELS280S Holding Force: 280kgs(610Lbs) Working Voltage: 12VDC or 24VDC Working Current: 460mA(12VDC) or 230mA(24VDC),For Single Door Use,Surface Mounted,Door will open when power is off(NO COM),Suitable for wooden door, glass door, metal door or fireproof door,With LED light Coil Material: Pure Cooper, large current, few residual magnet, low temperature, large force, long life,Size (L x W x H): 250 x 47 x 25mm		47,55	57,06

	AL-280LED/EM-280 Elektromagnetna brava Power-on za zaključavanje (brava je zaključana kada ima napona), nema mehaničkin oštećenja, pogodan za vrata bez okvira, LED indikacija statusa, 12V/24V DC, 1000mA/500mA, deklarirani holding force 270 kg , težina 1.97kg.	MZ030155		46,55	55,86
	AR-0600M Elektromagnetni prihvatnik, maksimalno opterećenje 300kg, 12V DC, nadzor stanja vrata: zatvorena/otvorena (C/NC/NO)			64,00	76,80
	GM-ELS380S Holding Force: 380kgs(830Lbs) Working Voltage: 12VDC or 24VDC Working Current: 480mA(12VDC) or 240mA(24VDC), For Single Door Use Surface Mounted, Door will open when power is off(NO COM), Suitable for wooden door, glass door, metal door or fireproof door, With LED light, Coil Material: Pure Cooper, large current, few residual magnet, low temperature, large force, long life, Size (L x W x H): 285 x 55 x 29mm			69,50	83,40
	AL-350LED/EM-350 Elektromagnetna brava Power-on za zaključavanje (brava je zaključana kada ima napona), nema mehaničkin oštećenja, pogodan za vrata bez okvira, LED indikacija statusa, 12V/24V DC, 500mA/250mA, deklarirani holding force 300 kg , težina 2.46kg.			68,51	82,21
	AL-500LED Elektromagnetna brava Power-on za zaključavanje (brava je zaključana kada ima napona), nema mehaničkin oštećenja, izlazni signal statusa NO/NC, LED indikacija statusa 12V/24V DC, 760mA/380mA, deklarirani holding force 500 kg , težina 4.48kg.	MZ010011		76,13	91,36
	BR-70Z Nosac elektromagnetne brave	MZ030203		7,11	8,53
	AR-0300MZL Nosac L/Z profila za AR0300M/150			26,50	31,80
	AL-180PZ/BR-180L Nosac elektromagnetne brave AL-180 Veličina 130x50x40mm težina: 0.39kg			12,13	14,56
	AL-280PZ/BR-280L Nosac elektromagnetne brave AL-280 Veličina 185x50x50mm težina: 0.54kg			19,43	23,32
	AR-0600M-MZL Nosac L/Z profila za AR0600M			33,75	40,50
	AL-350PZ/BR-350L Nosac elektromagnetne brave AL-350 Veličina 130x50x50mm težina: 0.55kg			26,65	31,98
	AL-500PZ/BR-500L Nosac elektromagnetne brave AL-500 Veličina 185x66x66mm težina: 0.89kg			28,42	34,10

	AL-180PU Nosáč elektromagnetne brave AL-180 za staklena vrata (8-12mm) bez rama Veličina 140x40x30mm težina: 0.33kg		10,66	12,79
Automati za vrata			Cena(EUR)	
	GM-DC001 Automat za vrata	MZ030159	35,12	42,14
Tasteri			Cena(EUR)	
	PB 86MT Metalni ugradni taster za otvaranje vrata, široki	AP030014	6,47	7,76
	BS-EB02A Plastični taster Dimenzije: 86x86x1	AP060301	3,17	3,80
	GM-EB13 Metalni nadgradni taster za otvaranje vrata, uski	AP030018	9,40	11,28
	GM-EB08 Metalni taster, ugradni	AP030016	7,82	9,38